

44-GROUNDSTAR

LED INGROUND



- Housing** High pressure die-cast aluminum with stainless steel faceplate
- Diffuser** Toughened glass
- Light Source** Cree
- Benefits**
 - Light body is designed to increase heat dissipation space
 - Instant on/off
 - Adjustable up to 15°
 - Surface has an anti-corrosion capability
 - 50% less power consumption than traditional light sources
 - Precise optic design provides exceptional light control and precise distribution of light
- Option** RGB version available

DESCRIPTION

GROUNDSTAR series are robust and compact luminaires use for outdoor applications. It provides ground level illumination by having the lights pointed up from the ground. The intent of such lights is to highlight points in the outdoor places such as architectural features or guide lights for walkways or paths.

APPLICATION

This in-ground lights are mainly used for areas such as building façades, monuments, architectural marks, landscape.

SPECIFICATION


	44-GROUNDSTAR 2101 16W
LED Chip	Cree
LED Driver	Built-in
LED Quantity	7 pcs
Wattage	16W
Lumen@Source*	1600 lm
CCT**	3000K / 4000K / 6500K
Beam Angle	5° / 8° / 20° / 30° / 45° / 60° / 15x30°
CRI (Ra)	>80
LED Life	50,000 hrs
Working Ambient Temperature	55°C

*Luminous Flux tolerance ±5% / **CCT Tolerance ±5%

Data is subject to change without notice.



SCHEMATIC




ORDERING CODE	\varnothing_1	\varnothing_2	\varnothing_3	H
44-GROUNDSTAR 2101	210	143	185	160

Dimensions are in mm

ORDERING GUIDE

44-GROUNDSTAR 2101-16-830	16W
44-GROUNDSTAR 2101-16-840	16W
44-GROUNDSTAR 2101-16-865	16W

ORDERING EXAMPLE



LED INGROUND GROUNDSTAR 2101-16-830/IP67

Data is subject to change without notice.